THE BIRDS OF WEST VIRGINIA



ACKNOWLEDGMENT

Thank you First Grade Crews for your dedication in researching West Virginia Birds to share information in support of your module - Birds' Amazing Bodies.

Special thanks to our Apple Professional Learning Specialist, Patrick Drafton, for your creativity, skills, and time in making our vision come to life.

Sincerest gratitude to the Huntington Museum of Art for the use of their Nature Trail and the curators for their ornithological expertise.

Deepest appreciation to Three Rivers Avian Center for showcasing their Birds of Prey.

To all parents, community members, teachers, and our Instructional Guide, Melanie Grobe-Early: thank you for your continued support!




Table of Contents

Northern Cardinal	4
Blue Jay	5
American Robin	6
American Crow	7
Song Sparrow	8
Mourning Dove	9
American Goldfinch	10
Carolina Wren	11
Downy Woodpecker	12
Eastern Towhee	13
House Sparrow	14
Red-Winged Blackbird	15
Carolina Chickadee	16
European Starling	17
Red-Bellied Woodpecker	18
White-Breasted Nuthatch	19
House Finch	20

Eastern Bluebird	21
Acknowledgment	22

.

NORTHERN CARDINAL



Physical Characteristics:

Feet: 3 Claws forward,

one backward

Beak: Hefty, bright

Feathers: Down

Description:

<u>Male</u>

Size: 21-23 cm

Color: Vibrant red

Female

Size: 21-23 cm

Color: Brown

Food:

- Seeds
- Insects
- Fruit

- Found at most bird feeders in the United States.
- It is a songbird.
- It has a mask on its face.







BLUE JAY



Physical Characteristics:

Feet: 3 toes

Beak: Long

Feathers: Pigmented

Description:

Male

Size: 9-12 inches

Color: Mostly grey & blue

Female

Size: 9-12 inches

Color: Grey, blue, black &

white

Food:

- Acorns
- Seeds
- Fruits & grains

- They can fly 20-25 miles an hour.
- They are cautious birds.
- They nest 35 feet off the ground.







AMERICAN ROBIN



Physical Characteristics:

Feet: Look like a stick

Beak: Pointy and orange

Feathers: Black/brown

Description:

Male

Size: 10 inches

Color: Black with red

<u>Female</u>

Size: 10 inches

Color: Black and red

Food:

- Earth worms
- Insects
- Berries

- They sing in forests and suburbs.
- The American Robin has a population of 310 million.
- They are known to be worm eaters.



AMERICAN CROW



Physical Characteristics:

Feet: Sharp

Beak: Spiky

Feathers: Black

Description:

Male

Size: 17 inches

Color: Black

<u>Female</u>

Size: 17 inches


Color: Black

Food:

- Mice
- Seeds
- Fruits

- They often stay together.
- They can fly 30-60 miles per hour.
- They can fly up to 40 miles a day.







SONG SPARROW



Physical Characteristics:

Feet: Sharp and long

Beak: Sharp and small

Feathers: Brown stripes

Description:

<u>Male</u>

Size: 4.7-6.7 inches

Color: Streaky brown

<u>Female</u>

Size: 4.7-6.7 inches

Color: Streaky brown

Food:

- Insects
- Seeds
- Fruit

- There are 31 subspecies, more than any other bird species found in North America.
- They are the most common to North America.





MOURNING DOVE



Physical Characteristics:

Feet: Skinny

Beak: Small

Feathers: Tan

Description:

Male

Size: 12 inches

Color: Black spots

Female

Size: 12 inches

Color: Black spots

Food:

- Peanuts
- Berries
- Seeds & weeds

- These birds have nests on the ground.
- Their habitat is open woodlands.
- Mourning Doves feed on the ground.







AMERICAN GOLDFINCH



Physical Characteristics:

Feet: Small

Beak: Small

Feathers: Colorful

Description:

<u>Male</u>

Size: 4.3-5.1 in.

Color: Yellow and black

<u>Female</u>

Size: 4.3-5.1 in.

Color: Yellow and black

Food:

- Seeds

- They mostly eat seeds.
- Males and females move around together.
- Their eggs are bluish white with small faint brown spots.







CAROLINA WREN



Physical Characteristics:

Feet: Pointy

Beak: Sharp and curved

Feathers: Magnificent

Description:

<u>Male</u>

Size: 4.7-5.5 in.

Color: Reddish brown

<u>Female</u>

Size: 4.7-5.5 in.

Color: Reddish brown

Food:

- Insects

- They defend their territories with constant singing.
- They are weak flyers.
- Carolina Wren is the state bird of South Carolina.







DOWNY WOODPECKER



Physical Characteristics:

Feet: Strong

Beak: Chisel like

Feathers: 9.8-11.8 Wing

Span

Description:

Male

Size: 14-17 cm

Color: Red black white

<u>Female</u>

Size: 14-17cm

Color: Black white

Food:

- Insects

- They have nests in dead trees.
- They move quickly.
- They have completely white eggs.







EASTERN TOWHEE



Physical Characteristics:

Feet: Sharp

Beak: Little

Feathers: Wingspan 20-28cm

Description:

Male

Size: 6.8-8.2 in.

Color: Black, reddish brown

<u>Female</u>

Size: 6.8-8.2 in.

Color: Brown, reddish brown

Food:

- Spiders
- Insects
- Fruit

- They usually nest on the ground.
- Eastern Towhees hop wherever they go.
- They often come to bird feeders.







HOUSE SPARROW



Physical Characteristics:

Feet: Pointy

Beak: Small, strong

Feathers: White & brown

Description:

<u>Male</u>

Size: 5.9-6.7 in.

Color: Grey, white, black, red

<u>Female</u>

Size: 5.9-6.7 in.

Color: Brown, grey

Food:

- Grains
- Seeds

- They sing.
- They are good at perching.
- They are small.







RED-WINGED BLACKBIRD



Physical Characteristics:

Feet: Sharp - good for

perching

Beak: Cone shaped

Feathers: Wingspan 31-40cm

Description:

<u>Male</u>

Size: 17-23 cm

Color: Black, red, yellow

<u>Female</u>

Size: 17-23 cm

Color: Dark brownish

Food:

- Insects

- You can find them in saltwater marshes sometimes.
- Their nestling period: 11-14 days.
- They travel 800 miles south in the winter.







CAROLINA CHICKADEE



Physical Characteristics:

Feet: Perching

Beak: Small, white, pointy

Feathers: White & blue

Description:

<u>Male</u>

Size: 13 cm Color: White

<u>Female</u>

Size: 13 cm


Color: White brown

Food:

- Spiders
- Sunflowers
- Seed

- They have 3-10 eggs.
- Their nesting period is 16-19 days.
- They can be found in forests.







EUROPEAN STARLING



Physical Characteristics:

Feet: Red or orange

Beak: Yellow with tan

Feathers: Black with

some purple and green

Description:

<u>Male</u>

Size: 8.5 in. Color: Brown

<u>Female</u>

Size: 21.5 in.

Color: Yellowish and buff

Food:

- Nectar
- Eggs

- They molt their feathers in the fall.
- Starlings can fly 48 mph.
- Their wings and bills are long and pointed.







RED-BELLIED WOODPECKER



Physical Characteristics:

Feet: 2 toes forward &

backward

Beak: Barbed

Feathers: White & black

Description:

Male

Size: 9% larger than females

Color: black, white, & red

<u>Female</u>

Size: 38-46 cm wing span

Color: black and white

Food:

- Insects
- Nuts

- They nest in dead trees.
- Red-Bellied Woodpeckers lay 2-6 eggs.
- They are entertaining and attracted to noises.







WHITE-BREASTED NUTHATCH



Physical Characteristics:

Feet: Perching

Beak: Black on top

Feathers: Thin

Description:

<u>Male</u>

Size: 5.1 -5.5

Color: Blue-grey

<u>Female</u>


Size: 5.1-5.5

Color: Grayish blueish


Food:

- Nuts
- Sunflowers
- Peanut butter

- White-Breasted Nuthatch live in forests.
- Their call is made of short inn notes.
- They can make loud voices.







HOUSE FINCH



Physical Characteristics:

Feet: Perching

Beak: Large & Thick

Feathers: Short

Description:

<u>Male</u>

Size: 14 cm long

Color: Red, streaky black

<u>Female</u>

Size: 12 cm long


Color: Grey-brown

Food:

- -Weed Seeds
- Flower Parts

- House Finch lay 4 -5 eggs.
- Both parents feed nestlings.
- They have a chirp call.







EASTERN BLUEBIRD



Physical Characteristics:

Feet: Perching

Beak: Thin

Feathers: Short & Black

Description:

<u>Male</u>

Size: 10 -13 in wing span

Color: Bright head back wings

Female

Size: 9.8-12.6 wing span

Color: Grey brownish

Food:

- Worms
- Spiders
- Cherries

- They live for 10 years.
- They are found in open woods and forests.
- Eastern Bluebirds nest 50 feet off ground.





